

## EU CERTIFICATE OF CONFORMITY

**In accordance with the requirements of the Pressure Equipment  
Directive 2014/68/EU and the Pressure Equipment (Safety)  
Regulations 2016,  
UK Statutory Instrument 2016 No. 1105**

This is to certify that the Quality Management System of:

**FITOK Incorporated**  
**No.164 Xinqu Village, Tiantou Community, Shijing Street,**  
**Pingshan District, Shenzhen City 518118,**  
**People's Republic of China**


has been assessed against the requirements of Annex III, Module H of the Pressure Equipment Directive 2014/68/EU, and Schedule 4, Module H of the Pressure Equipment Regulations 2016 and conforms to the requirements for the products shown below:

**Design and manufacture of BH series ball valves, block and bleed valves.**  
**(see attached schedule)**

Approval is subject to the continued maintenance of the quality system in accordance with the requirements of the above Directive and Regulations for the products listed on the attached schedule.

Authorisation is hereby given to use the LRV Notified Body Identification Number in accordance with the requirements of the specified Directive and Regulations in relation to the products as identified above.

**Certificate Number:** 0038/PED/SHA/BJG00000703/A  
**Original Approval Date:** 3 April 2019  
**Current Issue Date:** 13 May 2020  
**Expiry Date:** 2 April 2022  
**LRV Notified Body Number:** 0038



Amanda Wu on behalf of Lloyd's Register Verification

## EU CERTIFICATE OF CONFORMITY

CERTIFICATE 0038/PED/BJG00000703/A SCHEDULE

In accordance with the requirements of the Pressure Equipment  
Directive 2014/68/EU and the Pressure Equipment (Safety)  
Regulations 2016,  
UK Statutory Instrument 2016 No. 1105

FITOK Incorporated  
No.164 Xinqu Village, Tiantou Community, Shijing Street,  
Pingshan District, Shenzhen City 518118,  
People's Republic of China

Product(s)


BH series ball valves

Up to 2", 1500 psi  
Temperature range: -28°C to +232°C  
Mediums: Water, oil, gas and steam

DBB series: block and bleed valves

Up to 2", class 1500  
Temperature range: -40°C to +232°C  
Mediums: Water, oil, gas and steam

Schedule Issue: 02  
Date of Schedule Issue: 13 May 2020  
LRV Notified Body Number: 0038



Amanda Wu on behalf of Lloyd's Register Verification